CAF

(/)

New Class A composition shingle roof at house and barn





# Timberline Ultra High Definition® Shingles - Shingle Features

# Timberline Ultra HD® Lifetime High Definition® Shingles

For just pennies-a-day more, you can enjoy our best, **thickest, most ultra-dimensional Timberline**® shingle (and increase your resale value, tool)

Timberline Ultra HD® Shingles will cost you just pennies-a-day more than standard architectural shingles. In return, you can enjoy the thickest, most ultra-dimensional wood-shake look for your roof.

Thanks to layers that are up to 53% thicker than standard architectural shingles combined with our High Definition<sup>®</sup> blends, Timberline Ultra HD® Shingles offer a natural beauty and incredible thickness that you'll notice and appreciate. (Not to mention how much that they can increase the resale value of your home!)

## For Homeowners

Best Investment...

Just pennies-a-day more than standard architectural shingles.

Ultra-Dimensional Look...

Up to 53% thicker, Timberline Ultra HD® shingles feature GAF's "High Definition" color blends and enhanced shadow effect for an ultra-dimensional look on your roof

Safer...

Class A fire rating from Underwriters Laboratories, the highest rating possible

High Performance...

Designed with Advanced Protection<sup>11</sup> Technology, which minimizes the use of natural resources while providing superior protection for your home (visit www.gaf.com/aps (/APS/Default.aspx) to learn more)

Stays In Place...

Dura Grip" Adhesive seals each shingle tightly and reduces the risk of shingle blow-off. Shingles warranted to withstand winds up to 130 mph. (See Details)

Peace of Mind...

Lifetime ltd. transferable warranty with Smart Choice" Protection (non-prorated material and installation labor coverage) for the first ten years

Perfect Finishing Touch...

Use Timbertex" Premium Ridge Cap Shingles (in the West, use Ridglass" Premium Ridge Cap Shingles)

## For Professionals


More Referrals...

People will know that you're installing North America's #1-selling laminated shinglest

Less Chance of Call-Backs...

Durable, wind-resistant shingles include 130 mph ltd. wind coverage!

# The many layers of a Timberline Ultra HD® shingle



■ Diamond Cut™ Granules...

Multi-faceted design and light-reflective construction add dimension and depth to the shingle

UV Blocker (Granules)...

Protects against damaging sunlight, which improves the durability and extends the life of the shingle

■ Color Lock<sup>™</sup> Ceramic Firing (Granules)...

Maintains the true color of the shingle longer

Dura Grip® Adhesive...

Locks the shingles in place on the roof, gripping tight in even strong gale-force winds

SpecSelect Grading System (Asphalt)...

Use of finest-quality asphalt improves weathering in harsh conditions

■ Micro Weave® Core...

Offers a superior-strength foundation that resists cracking and splitting

FiberTech® Components (Core)...

Incorporates fibers that are non-combustible, providing a UL Class A fire rating

# **Specifications**


- Fiberglass asphalt shingle
- Lifetime ltd. transferable warranty (See Details)
- 130 mph ltd. wind coverage (See Details)
- Listed Class A Fire UL 790
- Passes ASTM D7158, Class H
- ASTM D3018 Type 1
- ASTM D3161 Type 1, Class F
- ASTM D3462 (See Details)
- StainGuard<sup>®</sup> algae discoloration ltd. warranty (available in most areas)
- ENERGY STAR® Qualified (white only)
- Miami-Dade County approved (See Details)
- Florida Building Code approved
- Texas Department of Insurance approved (See Details)
- ICC approved (See Details)
- CSA A123.5-98 (See Details)
- Also classified in accordance with ICC ES AC438
- Approximately 64 Pieces/Sq.
- Approximately 4 Bundles/Sq.
- Approximately 256 Nails/Sq.
- 5 5/8" exposure

# **COLOR: MISSION BROWN**




# 7

# REDWOOD SHIPLAP PATTERNS




NOMINAL SIZE	PATTERN NUMBER	Α	В	CONVERSION FACTOR
1x6	761	53⁄8	4 1/8	1.24
1x8	762	71/s	<b>6</b> 5⁄8	1.21
1x10	763	91/8	85/8	1.16




NOMINAL SIZE	PATTERN NUMBER	Α	В	CONVERSION FACTOR
1x6	770	5¾	47/8	1.24
1x8	771	71/8	6 <sup>5</sup> ⁄8	1.21
1 x 10	772	91/9	<b>8</b> 5⁄8	1.16

Custom milled painted horizontal wood siding at new house addition

Existing painted horizontal wood siding of original house to be repaired / restored



NOMINAL SIZE	PATTERN NUMBER	Α	8	CONVERSION FACTOR
1 x 10	773	91/8	8 %	1.16




NOMINAL SIZE	PATTERN NUMBER	Α	В	CONVERSION FACTOR
1x6	774	5%	41/8	1.24
1x8	775	71/8	6 <sup>5</sup> ⁄8	1.21
1 x 10	776	91/8	85/8	1.16



# HOUSE SOUTH ELEVATION (FACING CEDAR STREET)

COLORED EXTERIOR ELEVATIONS IMPER PROJECT 1998 CEDAR STREET, CALISTOGA

E DATE: June 25, 2014





BARN NORTH ELEVATION (FACING CREEK)

COLORED EXTERIOR ELEVATIONS IMPER PROJECT 1998 CEDAR STREET, CALISTOGA

™ DATE: June 25, 2014



Products Nationwide Profiles River Rock

# River Rock







View Larger Photo

Colorado River Rock









River Rock - a full-sized stone with sizes up to 15" - is meticulously re-created to capture the essence of a river rock with its characteristic shapes and deep naturally rounded stones. Stones are individually selected for their distinct irregularity and unique textural nuances water-worn into the surface.

# DOUBLE HUNG WINDOWS

**Historic Styling** 

New dual pane double hung painted wood windows w/ divided lites at house addition.

Existing wood windows of original house to be repaired / restored.





From time-honored architectural details to authentic, luxury-grade hardware, the new Loewen Double Hung window has been designed to complement the depth and character of the traditional North American home.

- Hidden jamb liner with no exposed vinyl, tilt latches and sash stops
- · Flush narrow checkrail and square frame edges
- Authentic, luxury grade hardware in a variety of finishes.
- Historic tall bottom rail (3 1/2") that replicates historical architecture
- Archetypal casing profiles including Adams, Williamsburg, Flat and Brickmould options
- Classic sill nosings and sub sills including Standard, BC, and 2" Heritage options



#### **PRODUCT FEATURES**



Double / Single Hung

## **STYLES**

Double Hung, Single Hung, Radius Top and Cottage options.

#### STANDARD FEATURES

- Natural, clear Douglas Fir interior (no visible finger joints)
- · Frame construction designed for 4 9/16" (116 mm) jamb
- Low E insulated glazing with 1/2" (12 mm) airspace
- Extruded aluminum cladding in a variety of standard colors, primed wood or clear fir exterior
- Insect screens
- · Non-clad windows are supplied with linen, bronze or sandstone screens at no additional charge. Screen-frame color is matched to exterior finish on metal clad units.

# **HARDWARE**

Hardware and hardware finishes are dependent on hardware choices.

#### **GLAZING**

Heat-Smart® and optional Heat-Smart® X, StormForce™.

## SIMULATED DIVIDED LITES (SDL)

SDL — 3/4" (19 mm), 1 1/8" (29 mm), 2" (50 mm).

#### **CASING**

2" (50 mm), 3 1/2" (89 mm) and 5 1/2" (140 mm) wood. 2" (50 mm) and 3 1/2" (89 mm) metal. Adams and Williamsburg options also available.

## METAL CLAD COLOR SPECTRUM

Standard and Architectural Palette colors.

#### LEGEND: ● — STANDARD ○ — OPTIONAL



	Double/Single Hung
Hardware Styles	The Part of the last of
Sash Lock	•
Sash/Lift	0
Finish Options	
Linen	•
Sandstone	•
Bronze	•
Black	•
Oil Rubbed Bronze	0
Antique Brass	0
Bright Brass	0
Brushed Chrome	0

Variables	A TOTAL PROPERTY.
Function:	
Use for Egress	•
Available with Screen	<b>●</b> 1
Concealed Hardware	
Durability:	
Low Maintenance Metal Clad Exterior	•1
Clear Douglas Fir Exterior Finish	0
Clear Mahogany Exterior Finish	0
Primed Exterior Finish	0
Cyprium Collection	
Performance:	
Heat-Smart®	•
Heat-Smart® X	0
Heat-Smart® T	
Heat-Smart® XT	
Tranquility®	
StormForce™	0
Appearance:	
SDL	0

Double/Single Hung

1 - Various standard and architectural metal clad colors

#### **SPECIFICATIONS**

### **STANDARDS**

Most units have been tested by an independent laboratory for air and water infiltration, structural performance and thermal performance requirements.

#### FRAME AND SASH

Manufactured from Coastal Douglas Fir kiln-dried lumber with frame construction designed for 4 9/16" (116 mm) jamb. All exterior components are factory primed; minor scratches or abrasions are not considered defects.

#### **ALTERNATE SPECIES**

The entire Loewen product line is also available in optional Mahogany (*Swietenia macrophylla*) or optional FSC® chain of custody certified Douglas Fir (SW-COC-001739).

#### PRESERVATIVE TREATED

All wood parts are dipped in approved preservative.

#### **GLAZING**

A sash integrated wood stop combined with glazing materials ensures a positive seal.

# **INSULATING GLASS**

Available in 1/8" (3 mm) double glass configuration with 1/2" (12 mm) airspace.

## **HEAT-SMART® SYSTEMS**

Heat-Smart® best describes the benefits of the product that incorporates Low E coating and argon gas. Heat-Smart® systems help reduce heating and cooling costs, providing superior energy efficiency.

#### SIMULATED DIVIDED LITES (SDL)

Standard SDL comes with airspace grilles. Grille bars are permanently applied to the interior and exterior.

#### **METAL CLADDING**

Heavy-duty extruded aluminum exterior metal cladding is available in Standard and Architectural Palette colors. Interior of window remains a natural wood finish as a standard. Metal clad units are supplied ready-to-install complete with nailing flange.

#### **HARDWARE**

Hardware is standard in bronze, linen, sandstone or black. Optional sash lifts are available at an additional charge. Operable sash comes complete with single-handle tilt latch feature to allow for inward tilting of sash for easy cleaning.

#### **WEATHERSTRIP**

Flexible weatherstrip ensures a positive weather seal.

#### **SCREEN**

Standard screens have a bronze, linen or sandstone aluminum frame, screened with anti-glare fiberglass cloth. Screen-frame color is matched to exterior finish on metal clad units. High Transparency mesh, full screens and half screens available.

#### **EGRESS**

Consult local building codes for confirmation of size requirements for your area. Consult your Authorized Loewen Dealer for more details.







Specifications and technical information are subject to change without notice. Metric and imperial measurements are converted accurately. However, in some cases, industry conventions cause a 1 mm variance. (Example: 3/4" is shown as 20 mm for all glass measurements since this is the industry standard.)




Visit the Loewen Photo Gallery online at www.loewen.com for a large collection of Loewen product and elevation photography. Numerous custom window configurations opportunities exist please contact your Authorized Loewen Dealers

# HEAD AND SILL DETAILS







#### PLAN VIEW



WOOD DOUBLE 4 9/16" (116 mm)







135

Double/Single Hung Windows

Superior Seamless Gutter

#1 in the business since 1987

Call us NOW! (707) 585-1580

"You CAN Afford the Best"

Home

About He

Products V

Warranty

FAQ Galleries

Contact Us



Find out how we earned

#1 in Quality and Workmanship

We put a Lifetime Warranty on every Seamless Rain Gutter System we install!

Why hire a Licensed & Insured Contractor?

Click HERE to see the advantages of hiring a Licensed & Insured Contractor.

Home

**Gutter Styles** 


Ogee style gutter for use at house

5" Ogee Gutter:



# Check out our 5" Ogee Gutter Photo Gallery

The 5" Ogee Gutter looks great on many different homes, including, Craftsman, Mediterainian, and Tuscan. The detail on the face of the Ogee Gutter resembles a crown molding. Unlike our Fascia Gutters, the measurement of the Ogee Gutter (5") refers to the width of the top of the Gutter, rather than the depth. These Gutters come in 26 guage pre-painted steel, and 16oz or 20oz Copper.



#### Need an Estimate?

Contact us today to request a free estimate!

Request an Estimate

#### **Contact Us**

# Superior Seamless Gutter

446 Portal St. Cotati, California 94931 (707) 585-1580 (707) 664-1580 FAX

email us

#### Search

Search this site:

Search

Superior Seamless Gutter

#1 in the business since 1987

Call us NOW! (707) 585-1580

"You CAN Afford the Best"

Home

About Us

Products \*

Warranty

AQ Galleries

Contact Us



Find out how we earned

#1 in Quality and Workmanship

We put a Lifetime Warranty on every Seamless Rain Gutter System we install!

Why hire a Licensed & Insured Contractor?

Click HERE to see the advantages of hiring a Licensed & Insured Contractor.

Home

**Gutter Styles** 

Fascia style gutter for use at Barn

5 1/2" Fascia Gutter:



# Check out our 5 1/2" Fascia Photo Gallery

The 5 1/2" Fascia Gutter is the most common Rain Gutter we install. At 5 1/2" deep, this Gutter is designed to cover a 2" x 4" rafter tail. These Gutters come in 26 guage pre-painted steel, and 16oz or 20oz Copper.

There is a bead (line) in the face of this Gutter. With Seamless Gutter, we can do very long runs, in one continuous Gutter. When you do runs of Gutter this long with a Roll Forming Machine (Seamless Gutter Machine), there can be a slight bit of wavyness in the face. The bead is designed to add rigidity to the face of the Gutter, and eliminate any wavyness. We can remove the bead from the 5 1/2" Fascia Gutter, at the risk of seeing some slight wavyness on the longer runs.

#### Need an Estimate?

Contact us today to request a free estimate!

Request an Estimate

#### **Contact Us**

# Superior Seamless Gutter 446 Portal St.

Cotati, California 94931 (707) 585-1580 (707) 664-1580 FAX

email us

#### Search

# Search this site:

Search

